



ZHEJIANG CFMOTO POWER CO., LTD.

No. 116, Wuzhou Road, Yuhang Economic Development Zone Hangzhou 311100, Zhejiang Province.

Tel: 86-571-89265799

Email: export@cfmoto.com/media@cfmoto.com

Global.cfmoto.com

Facebook: [CFMOTO_Official](https://www.facebook.com/CFMOTO_Official)

Instagram: [cfmoto_world](https://www.instagram.com/cfmoto_world)

YouTube: [CFMOTO](https://www.youtube.com/CFMOTO)

Copyright Zhejiang CFMOTO Power co., Ltd. 2021. All rights reserved. Photos are for illustrative purposes only. The vehicle configuration may be subject to change due to local laws and regulations in different countries and regions. Vehicle specifications are subject to change without notice. Imagery may not reflect most current product specifications. CFMOTO reserves the right to make improvements and/or design changes without any obligation to modify previously sold, assembled or fabricated equipment.

2022

MOTORCYCLES COLLECTION



250SR — 05

300SR — 07

400GT — 09

650GT — 11

650MT — 13

800MT — 15

700CL-X Heritage — 17

700CL-X SPORT — 19

PAPIO — 21

150NK — 23

250NK / 300NK — 25

400NK / 650NK — 27

SPECS — 29



Sit up-roll off the throttle-squeeze the brakes-downshift-bend the legs-shift your weight-hang off the side-throttle out...
 Ease into the seat of the CFMOTO 250SR
 Envision the track
 Every turn and every movement is in clear focus
 The 250SR springs to life
 Quick-revving power awakens my senses
 Speed stirs my adrenaline
 Power pulses through the engine and the frame, working with me as one
 The track flows beneath me and obeys my every command
 Power, passion, control and victory
 You think it's just a race
 I think it's the ultimate game.

PLAY TO WIN

250 SR



Length x Width x Height: 2010 x 750 x 1080 mm
 Wheelbase: 1360 mm
 Fuel Capacity: 12 L
 Displacement: 249 cc
 Engine Type: Single-cylinder, liquid-cooled, DOHC, 4 valves

Turquoise Blue

Nebula Black

Nebula White

Lava Orange

300 SR



Turquoise Blue

Nebula Black

Nebula White

Lava Orange

Length x Width x Height: 2010 x 750 x 1080 mm

Wheelbase: 1360 mm

Fuel Capacity: 12 L

Displacement: 292.4 cc

Engine Type: Single-cylinder, liquid-cooled, DOHC, 4 valves



The single-cylinder, liquid-cooled, 292.4cc DOHC engine produces 20.5kW at 8750rpm and 25.0N·m at 7000rpm. Quick-revving power and strong torque provide the sporting performance you crave, with a remarkably smooth delivery that provides an exhilarating ride both on the track and on the street.

PLAY TO WIN




Length x Width x Height: 2100 x 784 x 1300 mm
 Wheelbase: 1415 mm
 Fuel Capacity: 19 L
 Displacement: 400 cc
 Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled

Athens Blue

Nebula White

400GT



From the urban jungle to rural landscapes, the 400GT provides agile performance and a comfortable ride. The precision tuned frame provides the right amount of flex for optimum performance.





Length x Width x Height: 2100 x 930 x 1300 mm
 Wheelbase: 1415 mm
 Fuel Capacity: 19 L
 Displacement: 649 cc
 Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled

Nebula Black

Nebula White

650GT



When a sporting performance meets modern practicality
 When elegant design aesthetics are injected into a touring bike
 Rules go out the window, average is left behind
 A 650GT is born



Twist the throttle
 Feel the steady rush of power
 Shift into gear and ignite your senses
 Leave the world behind
 Lose yourself in the acceleration and find yourself in the journey.



650MT is a multifunctional bike based on the mature and stable CFMOTO 650cc engine platform, with streamlined designed, and sufficient travel feature for multi-terrain traveling. Equipped with light weighted fork, upside down front shock absorber and BOSCH EFI system, 650MT is a bike that is not only excellent in handling but also a safe and loyal friend while travelling on the way.

Length x Width x Height: 2180 x 835 x 1332 mm

Wheelbase: 1425 mm

Fuel Capacity: 18 L

Displacement: 649cc

Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula White

Athens Blue

650 MT



GO WITH THE FLOW



Get away from the hustle and bustle of the city, go to places off the beaten track, feel the moment and immerse yourself in the free. The 800MT has strong power and huge capability when facing the long-distance ride. Equipped with world-class DOHC liquid-cooled 799cc twin-cylinder engine. The multi-functional touring designing and supreme riding precision, coupled with KYB suspension and cornering ABS, 800MT makes the riding with safety and stability possible. With its selectable riding modes and a 19L large-capacity fuel tank, it will satisfy your desire to embark on more challenging routes.



800MT

ENJOY THE MOMENT



Length x Width x Height: 2100 x 860 x 1150 mm

Wheelbase: 1435 mm

Fuel Capacity: 13.5 L

Displacement: 693 cc

Engine Type: 2-cylinder inline, liquid-cooled

Twilight Blue

Coal Grey



Does X mark the unknown, or does it call us to infinite possibilities?

When faced with the uncertain, some find an equation to be solved.

Others find themselves at the threshold of possibility.

There are no guarantees on the journey ahead, only miles to be enjoyed on the road ahead. Embrace the possibilities, remove the boundaries and dare to explore diverse terrain. Fraught as it may be with challenges along the way, freedom is on the journey.

The bold will enjoy every moment of twisting the throttle toward tomorrow.

700CL-X

ENJOY THE MOMENT



Length x Width x Height: 2096 x 790 x 1130 mm

Wheelbase: 1435 mm

Fuel Capacity: 13.5 L

Displacement: 693 cc

Engine Type: 2-cylinder inline, liquid-cooled

Nebula White

Velocity Grey

700CL-X SPORT



The 700CL-X SPORT is a sharp alternative in the naked class between modern and retro. It has the classic features of a café racer in contemporary style. Pre-equipped standard with ABS, electronic throttle, slipper clutch, cruise control, Brembo brakes, KYB suspension, clip-on bars, ignition protection, rollover sensor, and LED lighting. 700CL-X SPORT has that sophisticated café-style SPORTy look from any angle you look at it.





Length x Width x Height: 1724 x 750 x 995 mm

Wheelbase: 1214 mm

Fuel Capacity: 7 L

Displacement: 126 cc

Engine Type: Single cylinder, 4-stroke, air cooled, verticle

Lemon Green

Nebula White



Galaxy Grey



Geared toward the generation of freedom, style and fun

Compact design with big performance

Unique, modern and distinctive

Unmistakable style



Approachable and friendly

Potent power in a small package

Excellent cornering capability

Responsive and nimble

Define your own style, set your own pace on the ST PAPIO, a fresh perspective on two wheels.



Length x Width x Height: 2025 x 770 x 1070 mm
Wheelbase: 1360 mm
Fuel Capacity: 10 L
Displacement: 149.5 cc
Engine Type: Single-cylinder, 4-stroke, liquid-cooled, vertical

Turquoise Blue

Matte Titanium Grey

150NK




Experience more on the upgraded 150NK featuring Continental anti-lock braking systems (ABS) designed to help drivers retain steering control by preventing wheels from locking up during an episode of heavy braking.





Start your street riding passion here. Ride stress-free and relaxed through the streets with the 300NK/250NK and chase the rhythm of your heart!



250 NK

300 NK



Length x Width x Height: 1990 x 780 x 1070 mm

Wheelbase: 1360 mm

Fuel Capacity: 12.5 L

Displacement: 292 cc / 249 cc

Engine Type: Single-cylinder, 4-stroke, liquid-cooled, vertical

Athens Blue

Nebula Black

400NK



Length x Width x Height: 2114 x 830 x 1100 mm

Wheelbase: 1415 mm

Fuel Capacity: 17 L

Displacement: 400 cc

Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula Black

Nebula White

650NK



Length x Width x Height: 2115 x 830 x 1105 mm

Wheelbase: 1415 mm

Fuel Capacity: 17 L

Displacement: 649 cc

Engine Type: 2-cylinder inline, 4-stroke, liquid-cooled, DOHC

Nebula White

Athens Blue



DIMENSIONS& WEIGHT

Length x Width x Height

Wheelbase

Seat Height

Fuel Capacity

Curb Weight

POWER

Engine

Displacement

Bore x Stroke

Max Power

Max Torque

Compression Ratio

Clutch Type

EMISSION

CHASSIS/ SUSPENSION/BRAKES

Rim (Front/Rear)

Front Tyre

Rear Tyre

Front Suspension

Rear Suspension

Front/Rear Suspension Stroke

Front Brake

Rear Brake

ABS&CBS

ELECTRONICS

Headlight

Tail Light

Turn Light

Instrument

T-BOX

GRAPHIC & TRIM

MY21

250SR

2010 × 750 × 1080 mm

1360 mm

780 mm

12 L

165 kg

Single-cylinder, liquid-cooled, DOHC, 4 valves

249.2 cc

72 × 61.2 mm

19.5 kW / 9200 rpm

22 N·m / 7250 rpm

11.3 : 1

Wet, Multi-plate, Slipper Clutch

NON-EURO V

3.0 × 17 MT 3.75 × 17 MT

110/70 R17

140/60 R17

Ø37 Telescopic upside down, Hydraulic damping

Mono Suspension, centre alligned

110 / 46 mm(shock travel)

Ø292 mm Single disc, 4-piston Caliper

Ø220 mm Single disc, Single-piston Floating Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

TFT-Display with Bluetooth connectivity

/

Nebula Black, Nebula White, Turquoise Blue, Lava Orange

300SR

2010 × 750 × 1080 mm

1360 mm

780 mm

12 L

165 kg

Single-cylinder, liquid-cooled, DOHC, 4 valves

292.4 cc

78 × 61.2 mm

20.5 kW / 8750 rpm

25.0 N·m / 7000 rpm

11 : 1

Wet, Multi-plate, Slipper Clutch

EURO V

3.0 × 17 MT 3.75 × 17 MT

110/70 R17

140/60 R17

Ø37 Telescopic upside down, Hydraulic damping

Mono Suspension, centre alligned

110 / 46 mm(shock travel)

Ø292 mm Single disc, 4-piston Caliper

Ø220 mm Single disc, Single-piston Floating Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

TFT-Display with Bluetooth connectivity

/

Nebula Black, Nebula White, Turquoise Blue, Lava Orange

400GT

2100 × 784 × 1300 mm

1415 mm

795 mm

19 L

211 kg

2-cylinder inline, 4-stroke, liquid-cooled

400 cc

68.4 × 54.5 mm

31.5 kW / 9250 rpm

36.5 N·m / 7500 rpm

11.1 : 1

Wet, Multi-plate

EURO V

3.5 × 17 MT 4.5 × 17 MT

120/70 ZR17 CST

160/60 ZR17 CST

Upright Suspension

Offset Rear Suspension (preload and damping adjustable)

122.7 / 45 mm(shock travel)

Dual Disc, J.Juan Double-piston Caliper

Single Disc, J.Juan Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

TFT-Display

/

Nebula White, Athens Blue

650GT

2100 × 930 × 1340 mm

1415 mm

795 mm

19 L

226 kg

2-cylinder inline, 4-stroke, liquid-cooled

649.3 cc

83 × 60 mm

41.5 kW / 8250 rpm

54.4 N·m / 7000 rpm

11.3 : 1

Wet, Multi-plate

EURO V

3.50 × 17 MT 4.50 × 17 MT

120/70 ZR17 Pirelli

160/60 ZR17 Pirelli

KYB Upright Front Suspension

KYB Offset Rear Suspension

120 / 45 mm(shock travel)

Dual Disc, J.Juan Double-piston Caliper

Single Disc, J.Juan Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

TFT-Display

/

Nebula White, Nebula Black

650MT

2180 × 835 × 1332 mm

1425 mm

820 / 840 mm (optional)

18 L

218 kg

2-cylinder inline, 4-stroke, liquid-cooled, DOHC

649.3 cc

83 × 60 mm

41.5 kW / 8250 rpm

54.4 N·m / 7000 rpm

Wet, Multi-plate

Wet, Multi-plate, Slipper Clutch

EURO V

3.5 × 17 MT 4.5 × 17 MT

120/70 ZR17 M/C Pirelli GT

160/60 ZR17 M/C Pirelli GT

USD Front Suspension

Offset Rear Suspension

140 / 45 mm(shock travel)

Dual Disc, J.Juan Double-piston Caliper

Single Disc, J.Juan Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

LCD

/

Nebula White, Athens Blue

800MT Touring / Sport

2234 × 853 × 1277 mm

1531 mm

825 mm

19 litre

231 kg

2-Cylinder inline, Liquid-cooled, DOHC, Eight Valves

799 cc

88 × 65.7 mm

67 kW / 9250 rpm

75 N·m / 8000 rpm

12.7 : 1

Wet, Multi-plate, Slipper Clutch

EURO V

Aluminium Alloy Rim. Front 19". Rear 17".

110/80 ZR19, MAXXIS

150/70 ZR17, MAXXIS

KYB upside down. Damping adjustable.

Damping adjustable

160mm / 150mm (shock travel)

Ø320mm Double-disc, J.Juan radial mount brake caliper

Ø260mm Single-disc, J.Juan caliper

ABS. Cornering ABS

LED (low beam always-on)

LED

LED

5" TFT-Display

/

Touring: Midnight Blue. Sport: Midnight Blue. Nebula Black.

700CL-X Heritage

2100 × 860 × 1150 mm

1435 mm

800 mm

13.5 L

193 kg

2-cylinder inline, 4-stroke, liquid-cooled, DOHC

693 cc

83×64 mm

55 kW / 8500 rpm

68 N·m / 7000 rpm

11.6 : 1

Slipper Clutch

EURO V

3.0 × 18 MT 5.5 × 17 MT

MT 60 RS 110/80 R18(Pirelli)

MT 60 RS 180/55 R17(Pirelli)

USD Fork, damping adjustable

Rear Cantilever Suspension, preload & damping adjustable

150 / 150 mm(shock travel)

Radial Mount Brake Caliper, Ø320mm single disc

Floating Brake Caliper, Ø260mm single disc

ABS(Continental)

Auto LED light

LED

LED

LCD

/

Midnight Blue, Galaxy Grey



DIMENSIONS& WEIGHT

Length x Width x Height

Wheelbase

Seat Height

Fuel Capacity

Curb Weight

POWER

Engine

Displacement

Bore x Stroke

Max Power

Max Torque

Compression Ratio

Clutch Type

EMISSION

CHASSIS/ SUSPENSION/BRAKES

Rim (Front/Rear)

Front Tyre

Rear Tyre

Front Suspension

Rear Suspension

Front/Rear Suspension Stroke

Front Brake

Rear Brake

ABS&CBS

ELECTRONICS

Headlight

Tail Light

Turn Light

Instrument

T-BOX

GRAPHIC & TRIM

MY21

700CL-X Sport

2096 × 790 × 1130 mm

1435 mm

795 mm

13 L

205 kg

2-cylinder inline, 4-stroke, liquid-cooled DOHC

693

83×64 mm

55 kW / 8500 rpm

68 N-m / 7000 rpm

11.6 : 1

Wet, Multi-plate, Slipper Clutch

EURO V

3.5 × 17 MT 5.5 × 17 MT

120/70 ZR17, MAXXIS MA-ST2

180/55 ZR17, MAXXIS MA-ST2

Ø41 KYB upside down.

Preload, compression, rebound adjustable

150 / 150 mm(shock travel)

Ø300mm Double-disc,
Brembo Stylema caliper

Ø260mm Single-disc,
Brembo dual-piston caliper

ABS

Auto LED light

LED

LED

LCD

/

Nebula White. Velocity Grey.

ST PAPIO

1724 × 750 × 995 mm

1214 mm

775 mm

7 L

114 kg

Single cylinder, 4-stroke, Air cooled, Verticle

126 cc

57 × 49.4 mm

7.0 kW / 8500 rpm

8.3 N-m / 6500 rpm

9.0 : 1

Wet, Multi-plate

NON-EURO V

2.75 × 12 MT 3.5 × 12 MT

120/70-12

130/70-12

USD Front Suspension

Mono Suspension, centre alligned

109 / 34 mm(shock travel)

Single-disc,
Double-piston Caliper

Single-disc,
Single-piston Caliper

/

Halogen

LED

LED

LCD

/

Nebula White, Lemon Green
Galaxy Grey

150NK

2025 × 770 × 1070 mm

1360 mm

775 mm

10 L

142 kg

Single-cylinder, 4-stroke, liquid-cooled, vertical

149.5 cc

57 × 58.6 mm

9.2 kW / 8250 rpm

11.5 N-m / 6500 rpm

10.5 : 1

Cable Clutch

NON-EURO V

2.5 × 17 MT 3.5 × 17 MT

100/80-17 M/C ZC RUBBER

130/70-17 M/C ZC RUBBER

USD Front Suspension

Mono Suspension, centre alligned

115 / 115 mm(shock travel)

Single-disc,
4-piston Caliper

Single-disc,
Single-piston Caliper

ABS

Halogen (low beam always-on)

LED

LED

LCD

/

Turquoise Blue, Matte Titanium Grey

250NK

1990 × 780 × 1070 mm

1360 mm

795 mm

12.5 L

158 kg

Single-cylinder, 4-stroke, liquid-cooled, vertical

249 cc

72 × 61.2 mm

19.5 kW / 9200 rpm

22 N-m / 7250 rpm

11.3 : 1

Wet, Multi-plate

NON-EURO V

3.5 × 17 MT 4.0 × 17 MT

110/70 R17 M/C CST S1

140/60 R17 M/C CST S1

USD Front Suspension

Mono Suspension, centre alligned

120 / 46 mm(shock travel)

Single-disc,
4-piston Caliper

Single-disc,
Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

5" TFT-Display

/

Athens Blue, Nebula Black

300NK

1990 × 780 × 1070 mm

1360 mm

795 mm

12.5 L

151 kg

Single-cylinder, 4-stroke, liquid-cooled, vertical

292 cc

78 × 61.2 mm

20.5 kW / 8750 rpm

25.0 N-m / 7000 rpm

11 : 1

Wet, Multi-plate, Slipper Clutch

EURO V

3.5 × 17 MT 4.0 × 17 MT

110/70 R17 M/C CST S1

140/60 R17 M/C CST S1

USD Front Suspension

Mono Suspension, centre alligned

120 / 46 mm(shock travel)

Single-disc,
4-piston Caliper

Single-disc,
Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

5" TFT-Display

/

Athens Blue, Nebula Black

400NK

2114 × 750 × 1100 mm

1415 mm

780 mm

17 L

206 kg

2-cylinder inline, 4-stroke, liquid-cooled, DOHC

400 cc

68.4 × 54.5 mm

29.5 kW / 9500 rpm

32 N-m / 7750 rpm

11.1 : 1

Wet, Multi-plate

EURO IV

3.5 × 17 MT 4.5 × 17 MT

120/70ZR17M/C CST

160/60ZR17M/C CST

Upright Suspension

Offset Rear Suspension
(preload and damping adjustable)

112 / 45 mm(shock travel)

Ø300 mm Dual Disc,
J.Juan Double-piston Caliper

Ø240 mm Single Disc,
J.Juan Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

LCD

/

Nebula White, Athens Blue

650NK

2114 × 750 × 1100 mm

1415 mm

780 mm

17 L

206 kg

2-cylinder inline, 4-stroke, liquid-cooled, DOHC

649 cc

83 × 60 mm

41.5 kW / 8250 rpm

54.4 N-m / 7000 rpm

11.3 : 1

Wet, Multi-plate, Slipper Clutch

EURO V

3.5 × 17 MT 4.5 × 17 MT

120/70 ZR17 M/C, Pirelli GT

160/60 ZR17 M/C, Pirelli GT

KYB Upright Front Suspension

KYB Offset Rear Suspension

120 / 45 mm(shock travel)

Ø300 mm Dual-disc,
J.Juan Double-piston Caliper

Ø240 mm Single-disc,
J.Juan Single-piston Caliper

ABS(Continental)

LED (low beam always-on)

LED

LED

5" TFT-Display

/

Nebula White, Athens Blue